







E-Z GUARD PROTECTION FOR EVERY TYPE OF GUTTER AND DEBRIS LOAD


E-Z-Lock[®] Small Hole

Powder-Coated Steel Screens



E-Z Lock Small Hole

Size	Item#		Boxes Per Skid	Box Weight	Hole Size
5"	520	25	60	19 lbs	9/32"x 3/16"
6"	620	25	50	21 lbs	9/32"x 3/16"
7"	720	25	32	25 lbs	9/32"x 3/16"





Spring tension holds this versatile powder-coated steel gutter guard in place – for quick and easy removal without disturbing the shingles.

E-Z TO INSTALL

Locks into gutter, without disturbing the shingles — snaps in and out for easy cleaning. If installing back edge under shingles, we recommend using E-Z-Under.

FEATURES


- Medium debris loads with small-sized holes
- · Powder-coated steel
- .028 Expanded galvanized steel

SIZE: E-Z-Lock Small Hole comes in 4 foot lengths and 5", 6", or 7" widths.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-Lock Small Hole will require maintenance from time to time, by brushing off the top of the panels.



1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 4,907,381

E-Z-Step Down®

Powder-Coated Steel Screens



E-Z-Step Down

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
5" 6"	570 670	25 25	60 50		9/32"x 3/16" 9/32"x 3/16"	




This design works for every gutter installation, with spring tension that holds it in place, while closing the void under the shingles so debris can't collect there. It is one of the few guard systems available today that snaps in and out for easy cleaning. The steel is .028 – to stand tough under a full load of wet leaves without collapsing – and installs with a slope toward the front to help debris slide off.

Designed with three 90° "steps" at the front for greater strength, and to snap into gutter hem — helping to force water to track into the gutter, and to reduce the effects of water-streaks and tiger-striping across the gutter.

E-Z TO INSTALL

Locks into gutter, without disturbing the shingles — snaps in and out for easy cleaning.



FEATURES

- Medium to heavy debris loads with small-sized holes
- Stepped-down front for strength, angle in the back with spring-tension action for installation without disturbing the shingles
- · Powder-coated steel
- .028 expanded galvanized steel
- · For use with hidden hangers
- Small-hole design keeps 99% of the debris out of the gutter

SIZE: E-Z-Step Down comes in 4 foot lengths and 5" or 6" widths.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-Step Down will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 5,893,240

E-Z-Micro Mesh®

Powder-Coated Aluminum Screens



E-Z-Micro Mesh


Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
5"	510	25	40	15 lbs	5/32"x 3/32"	
6"	610	25	40	16 lbs	5/32"x 3/32"	

PREMIUM ALUMINUM SCREENS INNOVATIVE DESIGNS FOR EVERY TYPE OF GUTTER AND DEBRIS LOAD E-Z-MICRO MESH®

This micro-mesh powder-coated aluminum screen is great for extreme environments and coastal applications that can cause some competitive products to corrode, and keeps out even the smallest debris.

Designed with three 90° "steps" at the front for greater strength, this guard snaps into gutter hem, helping to force water to track into the gutter, while reducing the effects of water-streaks and tiger-striping across the gutter. The center beads also add strength, while helping keep water from surface tensioning across the screen. The angled back edge holds tight by locking into hidden gutter hangers.

E-Z TO INSTALL



FEATURES

- Heaviest debris loads with the smallest possible holes
- Locks into hidden hangers and does not disturb shingles
- Powder-coated micro-mesh aluminum
- Two center beads for added strength

SIZE: E-Z-Micro Mesh comes in 4 foot lengths and 5" or 6" widths.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-Micro Mesh will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 5,893,240


E-Z-Lock® Regular Hole

Powder-Coated Steel Screens



E-Z-Lock Regular Hole

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size
5"	500	25	60	18 lbs	5/8"x 5/16"
6"	600	25	50	22 lbs	5/8"x 5/16"
8"	800	25	32	30 lbs	5/8"x 5/16"






This powder-coated steel gutter screen is one of the most versatile, with two different methods of installation.

It can be snapped into the front of the gutter for quick and easy removal without disturbing the shingles, or installed under the shingles and fastened with screws to the front of the gutter.

E-Z TO INSTALL

- 1. Locks into gutter-snaps in and out for easy cleaning.
- 2. Screws to front of gutter a more permanent method.



FEATURES

- · Medium debris load
- · .028 Expanded galvanized steel
- · Powder-coated steel
- · Available in copper

SIZE: E-Z Lock Regular Hole comes in 4 foot lengths and 5", 6", or 7" widths. Special order 8" and 9" widths.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-Lock Regular Hole will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 4,907,381

E-Z-Smooth Flow®

Perforated Painted Aluminum Covers



E-Z-Smooth Flow

Product Specs are on the following page




This effective and simple-to-install aluminum gutter guard recesses into the gutter and fastens to the front with stainless steel screws (provided). With thousands of holes, the rain water passes through the canals, making it E–Z for air flow to dry the debris and blow it away. Available in white, mill finish, and black, (which allows ice to melt quicker). Comes with optional 5 year "peace of mind warranty".

E-Z TO INSTALL

Lay E-Z-Smooth Flow in gutter and screw to front hem of gutter. E-Z-Smooth Flow has two optional install methods:

- **1.** After E-Z-Smooth Flow is screwed to the front gutter hem, the installer can screw through the cover in each hanger. This helps reduce the chance of heavy snow or ice ripping the gutter hem or hanger.
- **2.** Installer can use 1.5" screws through holes in rear vertical wall of E-Z-Smooth Flow into fascia.



FEATURES

- · Maximum debris load
- · Fastens to the front with screws
- · Heaviest water load
- Canals allow e-z air flow, letting debris dry and blow away
- Solid perforated painted .019 aluminum
- · Does not disturb shingles

SIZE: E-Z-Smooth Flow comes in 4, 6, and 10 foot lengths and 5", 6" or 7" widths

COLORS

White Mill Finish Black

Like all gutter protection products, depending on your debris type and load, E-Z-Smooth Flow will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 7,650,720

E-Z-Smooth Flow®--Additional Sizes

Perforated Painted Aluminum Covers



E-Z-Smooth Flow--6 Ft. (40 six ft. sections--240 ft. per box)

,	Size	Item#	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
	5" mill	1080	40	42	29 lbs	5/32"	
	5" bk/wh	1080	40	42	29 lbs	5/32"	~~~~
	6" mill	1090	40	40	34 lbs	5/32"	
	6" bk/w	h 1090	40	40	34 lbs	5/32"	
	7" mill	1095	40	40	40 lbs	5/32"	
	7"bk/wh	1095	40	40	40 lbs	5/32"	
= 3)							





E-Z-Smooth Flow--10 Ft. (25 ten ft. sections--250 ft. per box)

Size	Item# Se Pe		Boxes Per Skid	Box Weight	Hole Size	Side Profile
5" mill	1055 mill	25	36	29 lbs	5/32"	_
5 " bk/w	h 1055 bk/wh	25	36	29 lbs	5/32"	P~~~
6" mill	1056 mill	25	30	34 lbs	5/32"	
6" bk/w	/h 1056 bk/wh	25	30	34 lbs	5/32"	
$7"\mathrm{mill}$	$1057 \; \text{mill}$	25	28	40 lbs	5/32"	
7"bk/wh	n 1057 bk/wh	25	28	40 lbs	5/32"	

E-Z-Smooth Flow--4 Ft. (50 four ft. sections--200 ft. per box)

,	Size		Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
	5" mill	1045 m	nill 50	42	29 lbs	5/32"	
	5" bk/wh	1045 b	k/wh 50	42	29 lbs	5/32"	P~~~
	6" mill	1046 m	nill 50	40	34 lbs	5/32"	
	6" bk/wl	h 1046 bl	k/wh 50	40	34 lbs	5/32"	
	$7"\mathrm{mill}$	1047 m	nill 50	32	40 lbs	5/32"	
	7"bk/wh	1047 ы	k/wh 50	32	40 lbs	5/32"	

E-Z-Dual Flow®


Painted Aluminum Covers



6 ft. E-Z-Dual Flow

Size	Item # Sec Per		Boxes Per Skid	Box Weight	Hole Size
5" mill	9080 mill	40	42	29 lbs	5/32"
5" bk/w	n 9080 bk/wh	40	42	29 lbs	5/32"
6" mill	9090 mill	40	40	34 lbs	5/32"
6" bk/v	wh 9090 bk/wh	40	40	34 lbs	5/32"








This effective and simple-to-install aluminum gutter guard recesses into the gutter and fastens to the front with stainless steel screws (provided). With thousands of holes, the rain water passes through the canals, making it E-Z for air flow to dry the debris and blow it away.

With an elevated rear, E-Z Dual Flow® slopes to the recessed front, for use with screw type hangers. Available in white, mill finish, and black, (which allows ice to melt quicker).

E-Z TO INSTALL

Lay E-Z-Dual Flow® in gutter and screw to front hem of gutter. After E-Z-Dual Flow® is screwed to the front gutter hem, the installer can screw through the cover in each hanger. This helps reduce the chance of heavy snow or ice ripping the gutter hem or hanger.



FEATURES

- Maximum debris load
- Fastens to the front with screws
- · Heaviest water load
- Canals allow E-Z air flow, letting debris dry and blow away
- Solid perforated painted .019" aluminum
- · Does not disturb shingles

SIZE: E-Z-Dual-Flow comes in 6 foot lengths and 5" or 6" widths.

COLORS

White Mill Finish Black

Like all gutter protection products, depending on your debris type and load, E-Z-Dual Flow will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 7,650,720

E-Z-Master Flow®

Painted Aluminum Covers



4 ft. E-Z-Master Flow

Size	Item # Sec Pe		Boxes Per Skid	Box Weight	Hole Size	Side Profile
5" mill	9480 mill	25	48	25 lbs	5/32"	
5" bk/wh	9480 bk/wh	25	48	25 lbs	5/32"	
6" mill	9490 mill	25	40	29 lbs	5/32"	
6" bk/wh	9490 bk/wh	25	40	29 lbs	5/32"	




This effective and simple-to-install aluminum gutter guard has our highest level of engineering to date — with perforations and an arched rear, this recessed cover works with both types of hangers. The arched rear assists debris forward and water downward through the perforated holes.

Available in white, mill finish, and black, (which allows ice to melt quicker.)

E-Z TO INSTALL

Locks into gutter – snaps in and out for easy cleaning.



FEATURES

- · Maximum debris load
- Snaps into the gutter no fasteners needed
- · Notched for overlap
- · Heaviest water load
- · Arched rear helps water flow downward
- Solid perforated painted .019" aluminum
- · Does not disturb shingles

SIZE: E-Z-Master-Flow comes in 4 foot lengths and 5" or 6" widths.

COLORS

White Mill Finish Black

Like all gutter protection products, depending on your debris type and load, E-Z-Master Flow will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. D770,602

E-Z-Hydroclean®

Snap-In Painted Aluminum Covers



4 ft. E-Z-Hydroclean (14 four ft. sections--56 ft. per box)

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
5"	465	14	36	19 lbs	5/32"x 5/16"	
6"	466	14	30	20 lbs	5/32"x 5/16"	
7"	467	14		lbs	5/32"x 5/16"	




A solid gutter protection system, that uses our patented multiple front radius curves for our lowest profile. It just snaps into the gutter with our exclusive positive lock system that uses no fasteners and doesn't disturb the shingles.

This solid guard allows the water to track around the front curve (by surface tension) and into the gutter through slots. There are also pre-cut miters, with diverters, for inside and outside corners, plus premade endcaps.

E-Z TO INSTALL

It just snaps into the gutter, snaps out for easy cleaning, uses no fasteners and doesn't disturb the shingles when installed.

Like all gutter protection products, depending on your debris type and load, E-Z-HydroClean will require maintenance from time to time, by brushing off the top of the panels.



FEATURES

- · Maximum debris load
- Patented multiple-radius front curves
- Heavy-duty .027 aluminum in 12 colors and copper
- · Does not disturb shingles
- Positive lock system snaps in and out of gutter for easy maintenance
- For 5", 6" and 7" gutters with hidden hangers
- · Accessories available
- Professionally-stamped endcaps to keep animals and pests out of gutters
- · Pre-cut 4' long inside and outside miters
- Optional high-capacity panels for heavy rain volume areas

SIZE: E-Z-HydroClean comes in 4 foot lengths and 5", 6" or 7" widths.

COLORS

MADE IN USA

White Clay
Black Terra Bronze
Royal Brown Colonial Gray
Musket Brown

SPECIAL ORDER

Almond Wicker
Classic Cream Charcoal Gray
Evergreen Copper

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

PAT. NO. 7,765,742, 9,163,406, 9,650,788 E-Z Gutter Guards are manufactured by Midwest Enterprises, Inc.

E-Z-Hydroclean® High Capacity®

Snap-in Perforated Painted Aluminum Covers



4 ft. E-Z-Hydroclean High Capacity (14 four ft. sections--56 ft. per box)

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
5"	475	14	36	19 lbs	5/32"x 5/16"	2
6"	476	14	30	20 lbs	5/32"x 5/16"	
7"	477	14		lbs	5/32"x 5/16"	




The perforations work hard to channel away excess rainwater on long runs of standard shingles, very steep roofs, and metal roofs. 5" gutters, have 3 rows of perforations, guards for 6" and 7" gutters have 6 rows to handle even greater volumes.

The panels just snap into the gutter with our exclusive positive lock system, uses no fasteners, and doesn't disturb the shingles. There are also pre-cut miters, with diverters, for inside and outside corners, plus pre-made endcaps.

E-Z TO INSTALL

It just snaps into the gutter, snaps out for easy cleaning, uses no fasteners and doesn't disturb the shingles when installed.

Like all gutter protection products, depending on your debris type and load, E-Z-HydroClean High Capacity will require maintenance from time to time, by brushing off the top of the panels.



FEATURES

- · High-capacity panels for heavy rain volume areas
- · Maximum debris load
- · Patented multiple-radius front curves
- Heavy-duty .027 aluminum in 12 colors and copper
- Does not disturb shingles
- Positive lock system snaps in and out of gutter for easy maintenance
- For 5", 6" and 7" gutters with hidden hangers
- · Accessories available
- Professionally-stamped endcaps to keep animals and pests out of gutters
- Pre-cut 4' long inside and outside miters

SIZE: E-Z-HydroClean High Capacity comes in 4-foot lengths and 5", 6" or 7" widths.

COLORS

White Clay

Black Terra Bronze
Royal Brown Colonial Gray
Musket Brown

SPECIAL ORDER

Almond Wicker
Classic Cream Charcoal Gray
Evergreen Copper

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com MADE IN USA 7742 0462 406 0 650 700

PAT. NO. 7,765,742, 9,163,406, 9,650,788 E-Z Gutter Guards are manufactured by Midwest Enterprises, Inc.

E-Z-Hydroclean® & High Capacity

Snap-in Perforated Painted Aluminum Accessories



4 ft. E-Z-Hydroclean High Capacity Miters

1 Fou	ır ft. Pair-	L/R + Diverter		7 Fou	r ft. Pairs-L/R + Diverter		
Size	Item # Inside	Item # Outside	9	Size	Item # Inside	Item # Outside	
5"	458	461		5"	475	461	
6"	459	462		6"	476	462	
7"	460	463		7"	477	463	

E-Z-Hydroclean® & High Capacity

Snap-in Perforated Painted Aluminum Accessories



E-Z-Hydroclean & High Capacity Universal Endcaps

Size	Item #	Quantity	8	Size	Item #	Quantity
5"	432	10 ct.	•	6"	435	50 ct.
5"	433	50 ct.		7"	436	10 ct.
6"	434	10 ct.		7"	437	50 ct.


E-Z-Slide®

Louvered Painted Aluminum Covers



E-Z-Slide

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size
5"	415	25	48		1/2"x 1/8"
5"/6"	417	25	40		1/2"x 1/8"






This cover works with all gutter systems, and installs between shingles, fastening into the top front of the gutter with stainless zip screws provided. It features 6 rows of our patented reverse-louvers, and bends to conform to the pitch of the roof and the fall of the gutter. Water drops into the gutter and debris slides over the front of the gutter.

E-Z TO INSTALL

Screws to the front of the gutter — a more permanent method.



FEATURES

- · Medium debris load
- A perforated cover that "slides" between the starter and 1st row of shingles
- Perforated painted .019" aluminum with 6 rows of patented reverse louvers
- · Works well with spikes and ferrules

SIZE: E-Z-Slide comes in 4 foot lengths and 5" or 6" widths.

COLORS

White Royal Brown Clay Black

Like all gutter protection products, depending on your debris type and load, E-Z-Slide will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 6,151,837 E-Z Gutter Guards are manufactured by Midwest Enterprises, Inc.


E-Z-Leaf Sweep®

Painted Aluminum Covers



E-Z-Leaf Sweep

Size	e Item#		Boxes Per Skid	Box Weight	Hole Size
5"	480	25	60		1/2"x 1/8"
6"	490	25	50	16 IDS	1/2"x 1/8"






This heavy-duty cover rests on the back of the hidden hanger (even the screw-type hangers) and fastens to the top front edge of the gutter with stainless-steel screws (provided).

This guard is elevated in the rear so the product slopes toward the front, and, combined with our exclusive recessed louvers, assists debris to sweep over the front. The front drip edge helps eliminate water streaks and tiger striping.

E-Z TO INSTALL

Screws to the front of the gutter — a more permanent method.



FEATURES

- Maximum debris load, including pine needles and oak pollen
- Designed for heavy duty hangers with the built-in screws
- · Heaviest water load
- Built-in drip edge reduces water streaks and tiger-striping
- Perforated painted .019" aluminum with 7 rows of patented recessed louvers
- · Does not disturb shingles
- Available in copper

SIZE: E-Z-Leaf Sweep comes in 4 foot lengths and 5" or 6" widths.

COLORS

White Royal Brown Clay Black

Like all gutter protection products, depending on your debris type and load, E-Z-Leaf Sweep will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 7,650,720, D683,827 E-Z Gutter Guards are manufactured by Midwest Enterprises, Inc.

E-Z-Leaf Protection®

Painted Aluminum Covers



E-Z-Leaf Protection

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
5"/6"	496	25	50	19 lbs	1/2"x 1/8"	
7"	497	25	32	20 lbs	1/2"x 1/8"	




This cover installs into the shingles and fastens to the top front edge of the gutter with stainless-steel screws (provided).

This guard, when installed, is very strong for maximum debris and snow load, and, combined with our exclusive recessed louvers, assists debris to sweep over the front. The front drip edge helps eliminate water streaks and tiger striping.

E-Z TO INSTALL

Screws to the front of the gutter — a more permanent method.



FEATURES

- Maximum debris load, including pine needles and oak pollen
- Designed for hangers with the built-in screws
- Built-in drip edge reduces water streaks and tiger-striping
- · Heaviest water load
- Perforated painted .019" Aluminum with 7 rows of patented recessed louvers
- · Installs into shingles
- · Available in copper

SIZE: E-Z-Leaf-Protection comes in 4 foot lengths and 5"/6" or 7" widths.

COLORS

White Royal Brown Clay Black

Like all gutter protection products, depending on your debris type and load, E-Z-Leaf Protection will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 7.650.720

E-Z-Solid®

Painted Aluminum Covers



E-Z-Solid


Si	ze	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Side Profile
5 5		455 456	25 25	60 50	17 lbs 20 lbs	



This solid guard allows the water to track around the front (by surface tension) and into the gutter, while forcing debris to fly off. The clips install first and maintain a consistent gap along the leading edge, so water tracks around the patented-design multiple radius curve and into the gutter. It also features a perforated bend line where the metal meets the roof. We also supply diverters for use in valleys.

E-Z TO INSTALL

Fastens with special stainless steel clips and screws to the front of the gutter.



FEATURES

- · Maximum debris load
- Solid painted .019 aluminum with a patented multiple radius front curve
- No holes
- An ultra-low 3/4" tall profile guard that fits between the starter and 1st row of shingles without re-hanging the gutter
- · Available in copper (special order)

SIZE: E-Z-Solid® comes in 4 foot lengths and 5" or 6" widths.

COLORS

White Clay
Black Terra Bronze
Royal Brown Colonial Gray

Musket Brown

SPECIAL ORDER

Almond Wicker
Classic Cream Charcoal Gray
Evergreen Copper

Like all gutter protection products, depending on your debris type and load, E-Z Solid will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 7,765,742 E-Z Gutter Guards are manufactured by Midwest Enterprises, Inc.

E-Z-Under®

Powder-Coated Steel Screens



E-Z-Under

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile Screw Reverse Bend Down
5"	580	25	60	19 lbs	9/32"x 3/16"	
5"/6"	590	25	50	21 lbs	9/32"x 3/16"	
7"	780	25	32	lbs	9/32"x 3/16"	




This is the strongest line of screen on the market today. This simple profile is made of powder-coated steel with small-sized holes and stands up great under heavy debris and snow loads.

The screen with its reverse bend is fastened to the front of the gutter with screws, and installs under the shingles for a very strong system.

E-Z TO INSTALL

Screws onto gutter, installs between shingles. Also fastens to front bead of shop-made half round gutter.



FEATURES

- Medium to heavy debris loads with small-sized holes
- Fits under shingles and fastens with screws to gutter front
- Also used for spike and ferrule systems and shop-made half round gutter
- Powder-coated steel
- .028 expanded galvanized steel
- Available in copper

SIZE: E-Z-Under comes in 4 foot lengths and 5", 6" or 7" widths.

Special order in 8", 9", 11" widths

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-Under will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 5,893,240


E-Z-Drop In®

Premium Aluminum Screens



E-Z-Drop In

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size
5"	215	50	40	19 lbs	1/2"x 1/4"
6"	216	50	40	21 lbs	1/2"x 1/4"





Our entry-level mill-finish aluminum has a solid aluminum front edge that is micro-crimped for a strong product that will not come apart. It works well in light debris loads.

E-Z TO INSTALL

Screws to the front of the gutter — a more permanent method.

FEATURES


- Light debris load with medium-sized holes
- Screws into gutter front, slides under first row of shingles
- Mill-finish aluminum

SIZE: E-Z-Drop In comes in 4 foot lengths and 5" or 6" widths.

COLORS

Mill Finish

Like all gutter protection products, depending on your debris type and load, E-Z-Drop In will require maintenance from time to time, by brushing off the top of the panels.



1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA


E-Z-Speed Screen®

Premium Aluminum Screens



E-Z-Speed Screen

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size
5"	225	50	40		1/2"x 1/4"
6"	226	50	40	23 lbs	1/2"x 1/4"



PREMIUM ALUMINUM SCREENS INNOVATIVE DESIGNS FOR EVERY TYPE OF GUTTER AND DEBRIS LOAD E-Z-SPEED SCREEN®

It has a solid aluminum front edge and an updated solid strip at the rear and installs with a spring tension to hold it in place. This light-duty mill-finish aluminum guard works well in light debris loads.

E-Z TO INSTALL

Locks into the gutter — snaps in and out for easy cleaning.

FEATURES


- Light debris load with medium-sized holes
- Speed screen snaps into the gutter and does not disturb the shingles
- Mill-finish aluminum

SIZE: E-Z-Speed Screen comes in 4 foot lengths and 5" or 6" widths.

COLORS

Mill Finish

Like all gutter protection products, depending on your debris type and load, E-Z-Speed Screen will require maintenance from time to time, by brushing off the top of the panels.



1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA

E-Z-H/R Deluxe®

Powder-Coated Steel Screens



E-Z-H/R Deluxe


Size	Item #	Sections Per Box		Box Weight	Hole Size	Side Profile
6.5" 6.5"	0,0	25 op 25	50 50		9/32"x 3/16" 9/32"x 3/16"	



Spring tension design holds this gutter screen in place. Snaps in and out of half round gutters for easy cleaning. The steel is .028 and stands tough under a full load of wet leaves without collapsing. Installs with a slope toward the front to help debris slide off.

E-Z TO INSTALL

Locks into half round gutter, without disturbing the shingles — snaps in and out for easy cleaning.



FEATURES

- Medium to heavy debris loads with small-sized holes
- Powder-coated steel
- Locks into seamless half round gutters with hidden hangers
- · Low profile front
- Small-hole design keeps 99% of the debris out of the gutter
- Available only in 6.5" Width, to fit 6" half round gutters
- Center bead for added strength; forces rainwater to drop into the middle of the gutter
- .028 Expanded galvanized steel
- · Available in copper

SIZE: E-Z-H/R Deluxe comes in 4 foot lengths and 6.5" wide.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-H/R Deluxe will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 5,893,240

E-Z-H/R Superior®

Powder-Coated Aluminum Screens



E-Z-H/R Superior


•	Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
	6.5"	995	25	50	20 lbs	5/32"x 3/32"	



This micro-mesh powder-coated aluminum screen is great for extreme environments and keeps out the smallest debris. This guard locks into half round gutter, forcing water to track into the gutter. The angled back edge holds tight by locking into hidden gutter hangers.

E-Z TO INSTALL

Locks into 6" seamless half round gutters without disturbing the shingles—snaps in and out for easy cleaning.



FEATURES

- Heaviest debris loads with the smallest possible holes
- Powder-coated micro-mesh aluminum
- Locks into seamless half round gutters with hidden hangers
- · Low profile front
- · Does not disturb shingles
- Available only in 6.5" Width, to fit 6" half round gutter
- Center bead for added strength; forces rainwater to drop into the middle of the gutter

SIZE: E-Z-H/R Superior comes in 4 foot lengths and 6.5" wide.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-H/R Superior will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 5,893,240

E-Z-Armor®

Painted Aluminum Covers



E-Z-Armor

Size	Item #	Sections Per Box	Boxes Per Skid	Box Weight	Hole Size	Side Profile
6.5" 6.5"	430 430 c	25 op 25	48 48		1/2"x 1/8" 1/2"x 1/8"	



This heavy-duty louvered cover is the only one that locks into 6" half round gutter with hidden hangers. With the special front 90 degree bends, these panels install with spring tension.

E-Z TO INSTALL

Locks into 6" seamless half round gutters without disturbing the shingles—snaps in and out for easy cleaning.

Screws into the gutter. Snaps in the gutter.

FEATURES

- · Maximum debris load
- The only louvered cover for seamless half-round gutters that installs with spring tension
- Perforated painted .019" aluminum with 6 rows of patented reverse louvers
- Locks into seamless half round gutters with hidden hangers
- · Low profile front
- Available only in 6.5" wide, to fit 6" half round gutter
- Available in copper

SIZE: E-Z-H/R Armor comes in 4 foot lengths and 6.5" wide.

COLORS

Black

Like all gutter protection products, depending on your debris type and load, E-Z-H/R Armor will require maintenance from time to time, by brushing off the top of the panels.

1 Wagner Drive, Saint Clair, MO 63077 636-629-6484 | 800-748-7736 sales@E-ZGutter.com | www.E-ZGutter.com

MADE IN USA | PAT. NO. 6,151,837


Copper Screens

E-Z-Lock® Regular Hole & E-Z-Under® Small Hole




E-Z-Lock Copper Regular Hole

Size	Item # See Pe	ctions r Box	Box Weight	Hole Size	
5"	125 Cop	25	23 lbs	5/8"x 5/16"	
6"	126 Cop	25	24 lbs	5/8"x 5/16"	
8"	128 Cop	25	31 lbs	5/8"x 5/16"	



E-Z-Under Copper

Box Hole eight Size	Box Weight	ections er Box	Item # Se	Size
lbs 9/32"x 3/16"		25 25	580 Cop	5"
			•	
	Weight 31 lbs 36 lbs			_



Copper Louvered Covers E-Z-Leaf Sweep®



E-Z-Leaf Sweep

Size	Item #	Sections Per Box	Box Weight	Hole Size	Side Profile
5" 6"	470 Cop 475 Cop			1/2" x 1/8" 1/2" x 1/8"	



Midwest Enterprises manufacturer of E-Z Gutter Guard Systems will offer to you, the Purchaser, our lifetime limited warranty. This warranty covers the workmanship of all the system's components. Midwest Enterprises warranty covers the system as long as the original registered purchaser lives at or owns the property described on the registration certificate and subject to the limitations set forth in this warranty.

SEE BACK OF PAGE

Complete and Mail Registration WITHIN 30 DAYS OF INSTALLATION to:

Midwest Enterprises E-Z-HydroC P.O. Box 345 St. Clair, MO 63077	lean Gutter Guard	PRODUCT TYPE ☐ 5" ☐ 6" ☐ 7"
	t gutter protection systems on the market today. Midwo proud to offer a "Lifetime Limited Warranty" to the pro ge.	
LIONATOWALD	INSTALLER	
HOMEOWNER	III JIALLEIN	
Name		Footage
	Name	
Name	Name Address	Cost



Midwest Enterprises **Gutter Cover**Manufacturer's 5-Year Limited Warranty

The Hardest Working Gutter Guards in the Business

You have just purchased one of the finest gutter protection systems on the market today. Midwest Enterprises, manufacturer of gutter protection products for over 30 years, is proud to offer a 5-Year "Manufacturer's Limited Warranty" to the property owner on the registration certificate. Midwest Enterprises warrants that under normal elements of nature, sunlight, rain, snow, etc., (hail and ice excluded), and when properly maintained, the painted surface on Midwest Enterprises gutter covers will not peel, crack, chip, blister or rust for a period of five years.

Midwest Enterprises has provided this standard materials limited warranty. The Limited Warranty of performance and proper installation can only be issued by the installer. Midwest Enterprises has no control over the installation of the product. Improper installation of the E-Z Gutter Covers, impact of foreign objects (including hail and ice) or any unauthorized modification to the E-Z Gutter Cover system which adversely affects the product's performance will terminate Midwest

Enterprises' re: Also, like all gu Covers require brushing off th

Manufacturers Supplier/Install or warranties a Supplier/Install extending any behalf of Man THERE SHALL BE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OR ANY OTHER OBLIGATION ON THE PART OF THE MANUFACTURER WITH RESPECT TO ANY OF THE PRODUCTS EXCEPT THE WARRANTY OR WARRANTIES EXTENDED PURSUANT TO THE SECTION. MANUFACTURER WILL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

In any EVENT, and notwithstanding anything in this instrument to the contrary, Manufacturer's liability under any warranty shall be discharged by supplying to the installer at no cost, a panel or panel (with the same or compatible design) for replacement of that which may prove defective under normal or proper use within the effective period of the warranty if shown to be defective by proper evidence submitted to Manufacturer. If installer is unavailable, homeowner may act as their own agent following the same requirements.

To inquire about a manufacturer's claim, please send a



Midwest Enterprises **Gutter Screen**Manufacturer's 5-Year Limited Warranty

The Hardest Working Gutter Guards in the Business

You have just purchased one of the finest gutter protection systems on the market today. Midwest Enterprises, manufacturer of gutter protection products for over 30 years, is proud to offer a 5-Year "Manufacturer's Limited Warranty" to the property owner on the registration certificate. Midwest Enterprises warrants that under normal elements of nature, sunlight, rain, snow, etc., (hail and ice excluded), and when properly maintained, the powder-coated surface on Midwest Enterprises gutter screens will not peel, crack, chip, blister or rust for a period of five years.

Midwest Enterprises has provided this standard materials limited warranty. The Limited Warranty of performance and proper installation can only be issued by the installer. Midwest Enterprises has no control over the installation of the product. Improper installation of the E-Z Gutter Screens, impact of foreign objects (including hail and ice) or any unauthorized modification to the E-Z Gutter Screen system which adversely affects the product's performance will terminate Midwest Enterprises' responsibilities under this limited warranty. Also, like all gutter protection products, E-Z Gutter Screens require maintenance from time to time, like brushing off the top of the panels.

Manufacturers shall from time to time advise Supplier/Installer in writing of the warranty or warranties applicable to the products. Supplier/Installer is expressly prohibited from extending any warranty or warranties on behalf of Manufacturer to any person.

THERE SHALL BE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OR ANY OTHER OBLIGATION ON THE PART OF THE MANUFACTURER WITH RESPECT TO ANY OF THE PRODUCTS EXCEPT THE WARRANTY OR WARRANTIES EXTENDED PURSUANT TO THE SECTION. MANUFACTURER WILL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

In any EVENT, and notwithstanding anything in this instrument to the contrary, Manufacturer's liability under any warranty shall be discharged by supplying to the installer at no cost, a panel or panel (with the same or compatible design) for replacement of that which may prove defective under normal or proper use within the effective period of the warranty if shown to be defective by proper evidence submitted to Manufacturer. If installer is unavailable, homeowner may act as their own agent following the same requirements.

To inquire about a manufacturer's claim, please send a copy of the original invoice showing date, product type, homeowner's name, address, phone number, along with installer's name, address and phone number, footage of product used, and job cost. Photo and brief description of problem are also necessary.





Rest easy, we have you covered

If there was only one type of gutter, and every application had similar trees, leaves and pollen, then we'd only need one kind of gutter guard. But 30 years in the gutter guard design and manufacturing business have shown us there are a lot of variables—in leaf and debris loads, in rain, snow and ice loads, as well as subtle variations in gutter designs.

Midwest Enterprises has engineered and re-engineered our gutter guard designs until they really did become the hardest working in the business. There is no other rain gutter protection designed like E-Z Gutter Guards. Subtle tweaks to the leading edges mean higher performance under heavy rain and wind. Engineered-in channels and bends add strength, help water drop through faster, and help keep the guards tightly in place, doing their jobs day and night, through the toughest of environments.

Knowledge, Experience, Family

Midwest Enterprises started with E-Z-Lock—and their original screen is still the most versatile. It's made of expanded galvanized steel that is powder-coated, and can be installed in two different ways. The designers at E-Z understand that some installers want a gutter guard that screws into the front of the gutter and installs under the shingles. Others want a guard that 'snaps' in for quick and easy installation and removal—all without disturbing the shingles.

For locations where salt spray and extreme environments cause other products to corrode, Powder-Coated Aluminum can handle the heaviest debris loads and tough weather. E-Z Painted Aluminum Guards come as solid or louvered, and provide the best protection from the elements.

The knowledge acquired over these three decades helps put Midwest Enterprises at the top of their field, and with distribution in all 50 states, well-positioned for continued growth for years to come.

E-Z-PRODUCTS

by Midwest Enterprises

1 Wagner Drive Saint Clair, MO 63077

636-629-6484 | 800-748-7736

email: sales@E-ZGutter.com

www.E-ZGutter.com

